

Ede Pitit ou grandi ak woutin Vaksen

Asire w pitit ou resevwa tout vaksen yo nan tan ke yo rekòmande yo se youn nan fason ki pi enpòtan pou kenbe tibebe w la an sante

Vaksen Selon Laj

Swiv orè sa a ki anba a ki rekomande pa Akademi Pedyat Ameriken ak CDC



Tibebe ki fèk fèt

Vaksen Kont Epatit B # 1



1- 2 mwa

Vaksen kont Epatit B # 2



2 mwa

Vaksen kont Difteri, Tetanòs, Koklich #1, Vaksen kont wotavirus #1, Vaksen kont Polyo #1, Vaksen Haemophilus Influenzae kategori B #1 & Vaksen konjige anti-nemokoksik #1



4 mwa

Vaksen kont Difteri, Tetanòs, Koklich # 2, Vaksen kont wotavirus #2, Vaksen kont Polyo # 2, Vaksen Haemophilus



6 mwa

Vaksen kont Difteri, Tetanòs, Koklich #3, Vaksen Haemophilus Influenzae kategori B #3, Vaksen kont wotavirus #3 & Vaksen konjige anti-nemokoksik #3



6 - 18 mwa

Vaksen kont Difteri, Tetanòs, Koklich #2, Vaksen kont wotavirus #2, Vaksen kont Polyo #2, Vaksen Haemophilus Influenzae kategori B #2, Vaksen konjige anti-nemokoksik #2, COVID-19 & Vaksinasyon kont Grip (chak ane)



12- 15 mwa

Vaksen kont Lawoujòl, Malmouton, ak Riberyòl #1, Vaksen Haemophilus Influenzae kategori B #4, Vaksen konjige anti-nemokoksik #4 & Vaksen kont Varisèl (Saranpyon) #1



12- 23 mwa

Vaksen kont Epatit A



15- 18 mwa

Vaksen kont Difteri, Tetanòs, Koklich #4



4- 6 ane

Vaksen kont Difteri, Tetanòs, Koklich #5, Vaksen kont Polyo #4, Vaksen kont Lawoujòl, Malmouton, ak Riberyòl #1, Vaksen kont Varisèl (Saranpyon) #2 & COVID-19 Boustè (a laj 5 an)

Gade Orè
Vaksinasyon
CDC a



Ki sa chak vaksen fè

Vaksen kont Epatit B (HepB), Vaksen kont Epatit A (HepA):

Li pwoteje pitit ou kont viris Epatit B ak viris Epatit A ki lakòz pwoblem fwa

Twa dòz vaksen Epatit B (HepB): Nan nesans, 1- 2 mwa (1 a 2 mwa aprè vaksen Epatit B #1), e 6- 18 mwa (4 mwa aprè Vaksen Epatit B #2)

De dòz vaksen Epatit A (HepA): 12-23 mwa (2 dòz, 6 mwa apa)

Vaksen kont wotaviris: Li pwoteje tibebe w kont dyare grav ak dezidratasyon

De dòz: Nan 2 mwa oswa 4 mwa, oswa

Twa dòz: Nan 2 mwa, 4 mwa, ak 6 mwa

Vaksen Haemophilus Influenzae kategori B:

Li pwoteje kont Haemophilus Influenzae kategori B ki lakòz enfeksyon ak problem nan sèvo

Kat dòz: Nan 2 mwa, 4 mwa, 6 mwa, ak 12-15 mwa

Vaksen Kont Difteri, Tetanòs, Koklich: Li pwoteje kont Difteri (enflamasyon kè , ensifizans kadyak), Kolich (kouch) ak Tetanòs (ki lakòz spasm nan misk ki fè mal ki mennen nan bloke machwè)

Senk dòz: Nan 2 mwa, 4 mwa, 6 mwa, 15-18 mwa, e 4-6 ane

Vaksen Polyo : Li pwoteje pitit ou kont polyo, yon maladi ki ka paralize bra ak janm

Kat dòz: Nan 2 mwa, 4 mwa, 6 mwa, 15-18 mwa, e 4-6 ane

Vaksen kont Lawoujòl, Malmouton, ak Riberyòl

(MMR): Li pwoteje kont lawoujòl, malmouton, ak ribeyòl (Ribeyòl se "lawoujòl Alman", yon fòm lawoujòl ki pi grav ki ka lakòz defòmasyon nan ti bebe ki fèk fèt.

De dòz: Nan 12-15 mwa ak 4-6 ane

Vaksen kont Varisèl (Saranpyon): Li pwoteje pitit ou kont varisèl (Saranpyon)

De dòz: Nan 12-18 mwa ak 4-6 ane

Vaksen konjige anti-nemokoksik: li pwoteje kont nemokok (kapab lakòz nemoni, enfeksyon nan san, ak menenjit)

Kat dòz: Nan 2 mwa, 4 mwa, 6 mwa, ak 12-15 mwa

Grip (Vaksen kont Grip): Li pwoteje kont viris grip la

De dòz: 6-18 mwa (2yèm dòz 28 jou apre premye piki), apres a chak ane jiska laj adilt

COVID-19: Vaksen COVID-19 yo ede kò nou devlope iminite kont viris ki lakòz COVID-19 san nou pa oblije malad.

Vaksen Moderna: 6 mwa pou rive 5 ane (2 dòz prensipal ak yon dòz boustè)

Pfizer: 6 mwa pou rive 4 ane (3 dòz prensipal) 5 ane (2 dòz prensipal ak yon dòz boustè)



IMMUNIZE
KANSAS
COALITION

Kesyon? Pale ak yon founisè swen sante sou tout nesosite vaksen pitit ou ka genyen.