



What is Meningococcal Disease?

The term Meningococcal disease is used to describe any illness caused by the bacteria *Neisseria meningitides* (also known as meningococcus). Meningococcal disease is severe and can cause infections in the blood stream (bacteremia). It can also cause infections of the lining of the brain and spinal cord (meningitis). This disease acts fast and can kill people within 24 hours of the start of symptoms. The early symptoms of meningococcal disease are like the flu. There is a fever, headache, and a stiff neck. More serious symptoms include sensitivity to light, vomiting, rash, confusion and passing out

Facts about Meningococcal Disease:

- About 1 in 10 cases is fatal
- About 2 out of the 9 people who survive will have permanent disabilities. Disabilities could be a loss of an arm or leg, a brain injury, or a hearing loss.
- A person can get the disease by kissing, drinking after someone, coughing, or sneezing.



This graph shows the percentage of children ages 13-17 who have received at least one dose of the meningococcal conjugate vaccine in the United States compared to Kansas. Kansas falls below the national immunization average for meningococcal conjugate vaccination. (Source: CDC NIS-Teen 2020)

Andy's Story



Andy was in his senior year at the University of Kansas (KU). He was living in the scholarship halls when he became incredibly sick. Some friends rushed him to the KU Watkins Health Center and he was soon taken to Lawrence Memorial Hospital, where he was diagnosed with bacterial meningitis. He was airlifted to KU Hospital that night and spent the next 141 days there battling for his life against the bacteria that ultimately cost him parts of all four limbs. He wrote in a blog, things that he would go back and tell himself before the disease. He says, "I want to warn him that when he wakes up from that coma, he will face suffering worse than any he has ever imagined for himself... I want to tell him that in losing that (comfortable life), he will gain a new purpose." Andy now advocates for meningococcal vaccines on college campuses. Read more about Andy's miraculous story at www.tinyurl.com/Andys-Story.

IKC Meningococcal Vaccine Goals:

Immunize Kansas Coalition (IKC) continues to monitor quadrivalent meningococcal conjugate vaccine rates to maintain coverage above 80% in Kansas. Since 2019, the rate of Kansas teens ages 13-17 receiving at least one dose of the quadrivalent meningococcal conjugate vaccine has met or exceeded the 80% goal, but Kansas still remains in the bottom quintile of states for this vaccination rate. In 2020 in Kansas only 83.3% of teens had received one dose, below the 89.3% national average.

IKC Goal

IKC's goal is to maintain quadrivalent meningococcal conjugate vaccine rates in Kansas youth ages 13 to 17 above 80%.

KNOW the FACTS about meningococcal disease and TAKE ACTION:

Meningococcal disease can occur fast. And it can potentially cause lifelong disabilities. Talk with your health care provider to make sure that your teen is protected.

The first meningococcal vaccination is administered at 11 to 12 years old. A second dose is then needed at the age of 16 to complete the series.

Talk to those you love about the meningococcal vaccine. Encourage them to schedule an appointment with their health care provider to get vaccinated.

Always check with your health care provider, during any visit, about what other vaccine your teen needs.

www.immunizekansascoalition.org

Supported by the Centers for Disease Control and Prevention (CDC) of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$79,278,482 with 100% funded by the CDC/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement by, the CDC/HHS, the U.S. Government, or the Office of the Kansas Governor. For more information, please visit https://www.cdc.gov. [revision 10/01/21].